Updated Facts

An estimated 30.8 million adults smoke in the United States.

- About 5 of every 100 adults aged 18-24 (5.3%)
- About 13 of every 100 adults aged 25-44 (12.6%)
- Nearly 15 of every 100 adults aged 45-64 (14.9%)
- 8 of every 100 adults aged 65 years and older (8.3%)

Retrieved from: Tobacco Product Use Among Adults—United States, 2021

An estimated 15.6% of Oklahoma adults smoke (2022)
In 2021, more than one in nine (11.5%) U.S. adults aged
18 years or older currently smoked cigarettes
— the lowest percentage recorded since 1965.

Retrieved from: Behavioral Risk Factor Surveillance Survey Data

Tobacco Product Use Among Adults—United States, 2021

21.7% of Oklahoma high school students vape.

Retrieved from: The Toll of Tobacco in Oklahoma





Updated Facts

•	MIDDLE SCHOOL				HIGH SCHOOL			
	all respondents n=1318				all respondents n=1220			
	any tobacco use/past 30 days n=62				any tobacco use/past 30 days n=129			
	Frequency Weighted Percent				Frequency Weighted Percent			
	equeey	with 95% C				with 95% (
Have you	ı visited a do			in the nas	t 12 months		<u> </u>	
•	on = all respo	-	c, or marse	in the pus				
Yes	1114	86.76	83.03	90.48	1033	87.33	84.41	90.26
No	158	13.24	9.52	16.97	155	12.67	9.74	15.59
	ny of these v					l l		
	you used cig		ctor, acritic	re, manse, c	or other near	itii pi oj coon	onan, mere	, you
	on = all respo							
Yes	281	24.74	21.20	28.28	408	38.60	34.33	42.87
No	831	75.26	71.72	78.80	624	61.40	57.13	65.67
	ny of these v					L	077.0	00.07
_	on = all respo	-						
Yes	355	32.04	28.56	35.53	339	32.04	29.18	34.91
No	755	67.96	64.47	71.44	693	67.96	65.09	70.82
During a	ny of these y	vicito to a do	stor donti					
	ily of these v	151LS LO	ctor, aentis	st, nurse, c	or otner nea	itn professi	onal, were	. vou
			ctor, aentis	st, nurse, c	or otner nea	itn professi	onal, were	you
asked if	you used e-c on = all respo	igarettes?	ctor, aentis	st, nurse, c	or otner nea	itn projessi	onal, were	you
asked if	you used e-c	igarettes?	17.34	23.76	342	32.11	28.16	36.05
asked if y Population	you used e-c on = all respo	<i>igarettes?</i> ondents						
Population Yes No	you used e-c on = all respo 233	igarettes? ondents 20.55 79.45	17.34 76.24	23.76 82.66	342 690	32.11 67.89	28.16	36.05
asked if y Population Yes No During and	you used e-c on = all respo 233 877	igarettes? ondents 20.55 79.45 visits, were y	17.34 76.24	23.76 82.66	342 690	32.11 67.89	28.16	36.05
asked if y Population Yes No During and	you used e-con = all respo 233 877 ny of these v	igarettes? ondents 20.55 79.45 visits, were y	17.34 76.24	23.76 82.66	342 690	32.11 67.89	28.16	36.05
Population Yes No During and Population	you used e-con = all respondence = all responden	igarettes? ondents 20.55 79.45 visits, were y	17.34 76.24 Tou advised	23.76 82.66 to not us	342 690 e e-cigarette	32.11 67.89	28.16 63.95	36.05 71.84
Population Yes No During and Population Yes No	you used e-con = all responsible 233 877 any of these words = all responsible 313	igarettes? ondents 20.55 79.45 visits, were yondents 28.12 71.88	17.34 76.24 rou advised 25.06 68.82	23.76 82.66 to not us 31.18 74.94	342 690 e e-cigarette 298 733	32.11 67.89 ss? 27.84 72.16	28.16 63.95 24.64 68.96	36.05 71.84 31.04 75.36
Population Yes No During and Population Yes No During and During and During and	you used e-con = all responsible 233 877 any of these won = all responsible 313 796	igarettes? ondents 20.55 79.45 visits, were yondents 28.12 71.88 visits to a do	17.34 76.24 rou advised 25.06 68.82 ctor, dentis	23.76 82.66 to not us 31.18 74.94 st, nurse, c	342 690 e e-cigarette 298 733	32.11 67.89 ss? 27.84 72.16	28.16 63.95 24.64 68.96	36.05 71.84 31.04 75.36
Population Yes No During and Yes No During and Yes No During and asked if y	you used e-con = all responsible	igarettes? ondents 20.55 79.45 visits, were yondents 28.12 71.88 visits to a do	17.34 76.24 rou advised 25.06 68.82 ctor, dentis	23.76 82.66 to not us 31.18 74.94 st, nurse, c	342 690 e e-cigarette 298 733	32.11 67.89 ss? 27.84 72.16	28.16 63.95 24.64 68.96	36.05 71.84 31.04 75.36
Population Yes No During and Yes No During and Yes No During and asked if y	you used e-con = all responsible for all respo	igarettes? ondents 20.55 79.45 visits, were yondents 28.12 71.88 visits to a do	17.34 76.24 rou advised 25.06 68.82 ctor, dentis	23.76 82.66 to not us 31.18 74.94 st, nurse, c	342 690 e e-cigarette 298 733	32.11 67.89 ss? 27.84 72.16	28.16 63.95 24.64 68.96	36.05 71.84 31.04 75.36
Population Yes No During and Population Yes No During and Asked if y Population	you used e-con = all responses a second seco	igarettes? condents 20.55 79.45 risits, were youndents 28.12 71.88 risits to a do y other tobal	17.34 76.24 rou advised 25.06 68.82 ctor, dentis	23.76 82.66 to not use 31.18 74.94 st, nurse, o	342 690 e e-cigarette 298 733 or other hea	32.11 67.89 ss? 27.84 72.16 Ith profession	28.16 63.95 24.64 68.96 onal, were	36.05 71.84 31.04 75.36
Population Yes No During and Yes No During and Yes No During and asked if y Population Yes No	you used e-con = all responsible for a series of these words and the series of these words and the series of these words and the series of the	igarettes? ondents 20.55 79.45 risits, were yondents 28.12 71.88 risits to a do y other toba ondents 20.47 79.53	17.34 76.24 rou advised 25.06 68.82 ctor, dentis cco produc 17.49 76.56	23.76 82.66 to not use 31.18 74.94 st, nurse, of ts? 23.44 82.51	342 690 e e-cigarette 298 733 or other head 313 719	32.11 67.89 ss? 27.84 72.16 Ith profession 28.83 71.17	28.16 63.95 24.64 68.96 onal, were	36.05 71.84 31.04 75.36 2 you 32.93 75.27
Population Yes No During and Population Yes No During and Basked if yes No During and Population Yes No During and	you used e-con = all responsible 1970	igarettes? condents 20.55 79.45 risits, were youndents 28.12 71.88 risits to a do y other tobal ondents 20.47 79.53 risits, were y	17.34 76.24 rou advised 25.06 68.82 ctor, dentis cco produc 17.49 76.56	23.76 82.66 to not use 31.18 74.94 st, nurse, of ts? 23.44 82.51	342 690 e e-cigarette 298 733 or other head 313 719	32.11 67.89 ss? 27.84 72.16 Ith profession 28.83 71.17	28.16 63.95 24.64 68.96 onal, were	36.05 71.84 31.04 75.36 2 you 32.93 75.27
Population Yes No During and Population Yes No During and Basked if yes No During and Population Yes No During and	you used e-con = all responses	igarettes? condents 20.55 79.45 risits, were youndents 28.12 71.88 risits to a do y other tobal ondents 20.47 79.53 risits, were y	17.34 76.24 rou advised 25.06 68.82 ctor, dentis cco produc 17.49 76.56	23.76 82.66 to not use 31.18 74.94 st, nurse, of ts? 23.44 82.51	342 690 e e-cigarette 298 733 or other head 313 719	32.11 67.89 ss? 27.84 72.16 Ith profession 28.83 71.17	28.16 63.95 24.64 68.96 onal, were	36.05 71.84 31.04 75.36 2 you 32.93 75.27

Retrieved from: Oklahoma State Department of Health (2022). The Oklahoma Youth Tobacco Survey, 2021-2022.





Updated Facts

In 2024, about 58,450 new cases of oral cavity or oropharyngeal cancer were reported along with around 12,230 related deaths. (American Cancer Society, 2024)

Retrieved from: Key Statistics for Oral Cavity and Oropharyngeal Cancers

To find out more about SoonerCare benefits please contact:

Breanna Russell, MA
SoonerQuit Supervisor
Oklahoma Health Care Authority
405-590-9781

Breanna.Russell@okdha.org



